

# Section 5.0

## HARNESSES APPLICATION (5/8")

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
530 Blackhawk Park Avenue  
Rockford, Illinois, U.S.A. 61104  
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-1/(5-2 Blank)	G



## Franklin

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
6A-350-C1 (28°, 220HP)	M6056	M6054	M6055	X							9
6A-350-C1 (28°, 220HP)	M2772	M2773	M2774					X			9
6A-350-C1A (28°, 220HP)	M6056	M6054	M6055	X							9
6A-350-C1A (28°, 220HP)	M2772	M2773	M2774					X			9
6A-350-C2 (28°, 215HP)	M6056	M6054	M6055	X							9
6A-350-C2 (28°, 215HP)	M2772	M2773	M2774					X			9
6A-350-C2A (28°, 212HP)	M6056	M6054	M6055	X							9
6A-350-C2A (28°, 212HP)	M2772	M2773	M2774					X			9
6A-350-D1 (28°, 200HP)	M6056	M6054	M6055	X							9
6A-350-D1 (28°, 200HP)	M2772	M2773	M2774					X			9
6A-350-D1A (28°, 230HP)	M6056	M6054	M6055	X							9
6A-350-D1A (28°, 230HP)	M2772	M2773	M2774					X			9
6A-350-D1B (28°, 220HP)	M6056	M6054	M6055	X							9
6A-350-D1B (28°, 220HP)	M2772	M2773	M2774					X			9
6A4-150-B3 (28°, 150HP)	M6056	M6054	M6055	X							
6A4-150-B31 (28°, 150HP)	M6056	M6054	M6055	X							
6A4-150-B31 (28°, 150HP)	M2772	M2773	M2774					X			
6A4-150-B4 (28°, 150HP)	M6056	M6054	M6055	X							
6A4-150-B4 (28°, 150HP)	M2772	M2773	M2774					X			
6A4-165-B3 (32°, 165HP)	M6056	M6054	M6055	X							
6A4-165-B3 (32°, 165HP)	M2772	M2773	M2774					X			
6A4-165-B4 (32°, 165HP)	M6056	M6054	M6055	X							
6A4-165-B4 (32°, 165HP)	M2772	M2773	M2774					X			
6A4-165-B6 (32°, 165HP)	M6056	M6054	M6055	X							
6A4-165-B6 (32°, 165HP)	M2772	M2773	M2774					X			

**HARNESSES 5/8"**

## Great Plains

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
GREAT PLAINS-Volkswagen (30°, 65HP)	M2266			X							
Type 1-1600 (25°, 57HP)	M2266			X							
Type 1-1835 (25°, 65HP)	M2266			X							
Type 1-2180 (25°, 76HP)	M2266			X							
Type 4-2400 (25°, 85HP)	M2266			X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-3	G

**Grob**

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
GROB-Volkswagen (30°,65HP)	M2266			X									

**HAPI**

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
HAPI-Volkswagen-E (30°,65HP)	M2266			X									
HAPI-Volkswagen-G (30°,65HP)	M2266			X									

**Limbach**

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
LIMBACH-Volkswagen (30°,65HP)	M2266			X									

**Monnett**

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
MONNETT-Volkswagen (30°,65HP)	M2266			X									

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
530 Blackhawk Park Avenue  
Rockford, Illinois, U.S.A. 61104  
©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-4	G

## Mosler

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
MOSLER-Volkswagen (30°,65HP)	M2266			X									

## Superior Air Parts

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
IO-360 (25°,180HP)	M4001	M1795	M2992	X									
O-360 (25°,180HP)	M4001	M1795	M2992	X									

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness									Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200	D2000; D3000		
A-65-1 (30°,65HP)	M2045	M1960	M1970	X									
A-65-1 (30°,65HP)	M2351	M2353	M2352				X						
A-65-3 (30°,65HP)	M2045	M1960	M1970	X									
A-65-3 (30°,65HP)	M2351	M2353	M2352				X						
A-65-6 (30°,65HP)	M2045	M1960	M1970	X									
A-65-6 (30°,65HP)	M2351	M2353	M2352				X						
A-65-6J (30°,65HP)	M2045	M1960	M1970	X									
A-65-6J (30°,65HP)	M2351	M2353	M2352				X						
A-65-7 (30°,65HP)	M2045	M1960	M1970	X									
A-65-7 (30°,65HP)	M2351	M2353	M2352				X						
A-65-8 (30°,65HP)	M2045	M1960	M1970	X									
A-65-8 (30°,65HP)	M2351	M2353	M2352				X						
A-65-8F (30°,65HP)	M2045	M1960	M1970	X									
A-65-8F (30°,65HP)	M2351	M2353	M2352				X						
A-65-8FJ (30°,65HP)	M2045	M1960	M1970	X									
A-65-8FJ (30°,65HP)	M2351	M2353	M2352				X						
A-65-8J (30°,65HP)	M2045	M1960	M1970	X									
A-65-8J (30°,65HP)	M2351	M2353	M2352				X						
A-65-9 (30°,65HP)	M2351	M2353	M2352				X						
A-65-9 (30°,65HP)	M2045	M1960	M1970	X									
A-65-9F (30°,65HP)	M2351	M2353	M2352				X						
A-65-9F (30°,65HP)	M2045	M1960	M1970	X									
A-65-9FJ (30°,65HP)	M2351	M2353	M2352				X						

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-5	G

HARNESSES 5/8"

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
A-65-9FJ (30°, 65HP)	M2045	M1960	M1970	X							
A-65-9J (30°, 65HP)	M2351	M2353	M2352				X				
A-75-3 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-6 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-6J (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8F (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8FJ (30°, 75HP)	M2045	M1960	M1970	X							
A-75-8J (30°, 75HP)	M2045	M1960	M1970	X							
A-75-9 (30°, 75HP)	M2045	M1960	M1970	X							
A-75-9J (30°, 75HP)	M2045	M1960	M1970	X							
C-125-2 (28°, 125HP)	M2130	M2132	M2131					X			
C-145-2 (26°, 145HP)	M2932	M2930	M2931		X						
C-145-2 (26°, 145HP)	M1884	M1920	M1915			X					
C-145-2 (26°, 145HP)	M2130	M2132	M2131					X			
C-145-2H (26°, 145HP)	M2932	M2930	M2931		X						
C-145-2H (26°, 145HP)	M1884	M1920	M1915			X					
C-145-2H (26°, 145HP)	M2130	M2132	M2131					X			
C-145-2HP (26°, 145HP)	M2932	M2930	M2931		X						
C-145-2HP (26°, 145HP)	M1884	M1920	M1915			X					
C-145-2HP (26°, 145HP)	M2130	M2132	M2131					X			
C-75-12 (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12 (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12F (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12F (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12FH (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12FH (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12FHJ (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12FHJ (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12FJ (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12FJ (30°, 75HP)	M2007	M2013	M2012				X				
C-75-12J (30°, 75HP)	M1780	M1755	M1745	X							
C-75-12J (30°, 75HP)	M2007	M2013	M2012				X				
C-75-15 (30°, 75HP)	M1780	M1755	M1745	X							
C-75-15 (30°, 75HP)	M2007	M2013	M2012				X				
C-75-15F (30°, 75HP)	M1780	M1755	M1745	X							
C-75-15F (30°, 75HP)	M2007	M2013	M2012				X				
C-75-8 (30°, 75HP)	M2045	M1960	M1970	X							
C-75-8 (30°, 75HP)	M2351	M2353	M2352				X				
C-75-8F (30°, 75HP)	M2045	M1960	M1970	X							
C-75-8F (30°, 75HP)	M2351	M2353	M2352				X				
C-75-8FH (30°, 75HP)	M2045	M1960	M1970	X							

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-6	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20, S4-200 S6-20, S6-200 S4-1200 S6-1200			D2000, D3000	Notes
C-75-8FH (30°,75HP)	M2351	M2353	M2352				X				
C-75-8FHJ (30°,75HP)	M2045	M1960	M1970	X							
C-75-8FHJ (30°,75HP)	M2351	M2353	M2352				X				
C-75-8FJ (30°,75HP)	M2045	M1960	M1970	X							
C-75-8FJ (30°,75HP)	M2351	M2353	M2352				X				
C-75-8J (30°,75HP)	M2045	M1960	M1970	X							
C-75-8J (30°,75HP)	M2351	M2353	M2352				X				
C-85-12 (30°,85HP)	M1780	M1755	M1745	X							
C-85-12 (30°,85HP)	M2007	M2013	M2012				X				
C-85-12F (30°,85HP)	M1780	M1755	M1745	X							
C-85-12F (30°,85HP)	M2007	M2013	M2012				X				
C-85-12FH (30°,85HP)	M1780	M1755	M1745	X							
C-85-12FH (30°,85HP)	M2007	M2013	M2012				X				
C-85-12FHJ (30°,85HP)	M1780	M1755	M1745	X							
C-85-12FHJ (30°,85HP)	M2007	M2013	M2012				X				
C-85-12FJ (30°,85HP)	M1780	M1755	M1745	X							
C-85-12FJ (30°,85HP)	M2007	M2013	M2012				X				
C-85-12J (30°,85HP)	M1780	M1755	M1745	X							
C-85-12J (30°,85HP)	M2007	M2013	M2012				X				
C-85-14 (30°,85HP)	M1780	M1755	M1745	X							
C-85-14 (30°,85HP)	M2007	M2013	M2012				X				
C-85-14F (30°,85HP)	M1780	M1755	M1745	X							
C-85-14F (30°,85HP)	M2007	M2013	M2012				X				
C-85-15 (30°,85HP)	M1780	M1755	M1745	X							
C-85-15 (30°,85HP)	M2007	M2013	M2012				X				
C-85-15F (30°,85HP)	M1780	M1755	M1745	X							
C-85-15F (30°,85HP)	M2007	M2013	M2012				X				
C-85-8 (30°,85HP)	M2045	M1960	M1970	X							
C-85-8 (30°,85HP)	M2351	M2353	M2352				X				
C-85-8F (30°,85HP)	M2045	M1960	M1970	X							
C-85-8F (30°,85HP)	M2351	M2353	M2352				X				
C-85-8FHJ (30°,87HP)	M2045	M1960	M1970	X							
C-85-8FHJ (30°,87HP)	M2351	M2353	M2352				X				
C-85-8FJ (30°,87HP)	M2045	M1960	M1970	X							
C-85-8FJ (30°,87HP)	M2351	M2353	M2352				X				
C-85-8J (30°,87HP)	M2045	M1960	M1970	X							
C-85-8J (30°,87HP)	M2351	M2353	M2352				X				
C-90-12F (25°,95HP)	M1780	M1755	M1745	X							
C-90-12F (25°,95HP)	M2007	M2013	M2012				X				
C-90-12FH (25°,95HP)	M1780	M1755	M1745	X							
C-90-12FH (25°,95HP)	M2007	M2013	M2012				X				
C-90-12FJ (25°,95HP)	M1780	M1755	M1745	X							
C-90-12FJ (25°,95HP)	M2007	M2013	M2012				X				
C-90-12FP (25°,95HP)	M1780	M1755	M1745	X							

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-7	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
C-90-12FP (25°, 95HP)	M2007	M2013	M2012				X				
C-90-14F (25°, 95HP)	M1780	M1755	M1745	X							
C-90-14F (25°, 95HP)	M2007	M2013	M2012				X				
C-90-14FH (25°, 95HP)	M1780	M1755	M1745	X							
C-90-14FH (25°, 95HP)	M2007	M2013	M2012				X				
C-90-14FJ (25°, 95HP)	M1780	M1755	M1745	X							
C-90-14FJ (25°, 95HP)	M2007	M2013	M2012				X				
C-90-16F (25°, 95HP)	M1780	M1755	M1745	X							
C-90-16F (25°, 95HP)	M2007	M2013	M2012				X				
C-90-8F (25°, 95HP)	M2045	M1960	M1970	X							
C-90-8F (25°, 95HP)	M2351	M2353	M2352				X				
C-90-8FJ (25°, 95HP)	M2045	M1960	M1970	X							
C-90-8FJ (25°, 95HP)	M2351	M2353	M2352				X				
E-165-2 (26°, 165HP)	M6068	M6066	M6067		X						
E-165-2 (26°, 165HP)	M2176	M2178	M2177					X			
E-165-3 (26°, 165HP)	M6068	M6066	M6067		X						
E-165-3 (26°, 165HP)	M2176	M2178	M2177					X			
E-165-4 (26°, 165HP)	M6068	M6066	M6067		X						
E-165-4 (26°, 165HP)	M2176	M2178	M2177					X			
E-185-1 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-1 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-10 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-10 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-11 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-11 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-2 (26°, 185HP)	M6068	M6066	M6067		X						
E-185-2 (26°, 185HP)	M2176	M2178	M2177					X			
E-185-3 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-3 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-5 (26°, 185HP)	M6068	M6066	M6067		X						
E-185-5 (26°, 185HP)	M2176	M2178	M2177					X			
E-185-8 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-8 (26°, 205HP)	M2176	M2178	M2177					X			
E-185-9 (26°, 205HP)	M6068	M6066	M6067		X						
E-185-9 (26°, 205HP)	M2176	M2178	M2177					X			
E-225-2 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-2 (26°, 225HP)	M2176	M2178	M2177					X			
E-225-4 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-4 (26°, 225HP)	M2176	M2178	M2177					X			
E-225-8 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-8 (26°, 225HP)	M2176	M2178	M2177					X			
E-225-9 (26°, 225HP)	M6068	M6066	M6067		X						
E-225-9 (26°, 225HP)	M2176	M2178	M2177					X			

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-8	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300		6200, 6300		600		SA-20, SA-200		S6-20, S6-200		SA-1200		S6-1200		D2000, D3000		Notes
GO-300-A (28°,175HP)	M2938	M2936	M2937	X																
GO-300-A (28°,175HP)	M2023	M2027	M2026			X														
GO-300-A (28°,175HP)	M2345	M2347	M2346							X										
GO-300-B (28°,175HP)	M2938	M2936	M2937	X																
GO-300-B (28°,175HP)	M2023	M2027	M2026			X														
GO-300-B (28°,175HP)	M2345	M2347	M2346							X										
GO-300-C (28°,175HP)	M2938	M2936	M2937	X																
GO-300-C (28°,175HP)	M2023	M2027	M2026			X														
GO-300-C (28°,175HP)	M2345	M2347	M2346							X										
GO-300-D (28°,175HP)	M2938	M2936	M2937	X																
GO-300-D (28°,175HP)	M2023	M2027	M2026			X														
GO-300-D (28°,175HP)	M2345	M2347	M2346							X										
GO-300-E (28°,175HP)	M2938	M2936	M2937	X																
GO-300-E (28°,175HP)	M2023	M2027	M2026			X														
GO-300-E (28°,175HP)	M2345	M2347	M2346							X										
IO-470-A (24°,240HP)	M2828	M2829	M2830	X																
IO-470-A (24°,240HP)	M1878					X														
IO-470-A (24°,240HP)	M1978	M2010	M2005							X										
IO-470-C (26°,250HP)	M2828	M2829	M2830	X																
IO-470-C (26°,250HP)	M1878					X														
IO-470-C (26°,250HP)	M1978	M2010	M2005							X										
IO-470-D (20°,260HP)	M2828	M2829	M2830	X																
IO-470-D (20°,260HP)	M1878					X														
IO-470-D (20°,260HP)	M1978	M2010	M2005							X										
IO-470-E (20°,260HP)	M2828	M2829	M2830	X																
IO-470-E (20°,260HP)	M1878					X														
IO-470-E (20°,260HP)	M1978	M2010	M2005							X										
IO-470-F (20°,260HP)	M2828	M2829	M2830	X																
IO-470-F (20°,260HP)	M1878					X														
IO-470-F (20°,260HP)	M1978	M2010	M2005							X										
IO-470-G (26°,250HP)	M2828	M2829	M2830	X																
IO-470-G (26°,250HP)	M1878					X														
IO-470-G (26°,250HP)	M1978	M2010	M2005							X										
IO-470-H (20°,260HP)	M2828	M2829	M2830	X																
IO-470-H (20°,260HP)	M1878					X														
IO-470-H (20°,260HP)	M1978	M2010	M2005							X										
IO-470-J (22°,225HP)	M2828	M2829	M2830	X																
IO-470-J (22°,225HP)	M1878					X														
IO-470-J (22°,225HP)	M1978	M2010	M2005							X										
IO-470-K (22°,225HP)	M2828	M2829	M2830	X																
IO-470-K (22°,225HP)	M1878					X														
IO-470-K (22°,225HP)	M1978	M2010	M2005							X										
IO-470-L (20°,260HP)	M2828	M2829	M2830	X																
IO-470-L (20°,260HP)	M1878					X														
IO-470-L (20°,260HP)	M1978	M2010	M2005							X										

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-9	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
IO-470-LO (20°,260HP)	M2828	M2829	M2830	X							
IO-470-LO (20°,260HP)	M1878				X						
IO-470-LO (20°,260HP)	M1978	M2010	M2005				X				
IO-470-M (20°,260HP)	M2828	M2829	M2830	X							
IO-470-M (20°,260HP)	M1878				X						
IO-470-M (20°,260HP)	M1978	M2010	M2005				X				
IO-470-N (20°,260HP)	M2828	M2829	M2830	X							
IO-470-N (20°,260HP)	M1878				X						
IO-470-N (20°,260HP)	M1978	M2010	M2005				X				
IO-470-P (26°,250HP)	M2828	M2829	M2830	X							
IO-470-P (26°,250HP)	M1878				X						
IO-470-P (26°,250HP)	M1978	M2010	M2005				X				
IO-470-R (26°,250HP)	M2828	M2829	M2830	X							
IO-470-R (26°,250HP)	M1878				X						
IO-470-R (26°,250HP)	M1978	M2010	M2005				X				
IO-470-S (20°,260HP)	M2828	M2829	M2830	X							
IO-470-S (20°,260HP)	M1878				X						
IO-470-S (20°,260HP)	M1978	M2010	M2005				X				
IO-470-T (26°,250HP)	M2828	M2829	M2830	X							
IO-470-T (26°,250HP)	M1878				X						
IO-470-T (26°,250HP)	M1978	M2010	M2005				X				
IO-470-U (20°,260HP)	M2828	M2829	M2830	X							
IO-470-U (20°,260HP)	M1878				X						
IO-470-U (20°,260HP)	M1978	M2010	M2005				X				
IO-470-V (20°,260HP)	M2828	M2829	M2830	X							
IO-470-V (20°,260HP)	M1878				X						
IO-470-V (20°,260HP)	M1978	M2010	M2005				X				
IO-470-VO (20°,260HP)	M2828	M2829	M2830	X							
IO-470-VO (20°,260HP)	M1878				X						
IO-470-VO (20°,260HP)	M1978	M2010	M2005				X				
IO-520-A (22°,285HP)	M2828	M2829	M2830	X							
IO-520-A (22°,285HP)	M1878				X						
IO-520-A (22°,285HP)	M1978	M2010	M2005				X				
IO-520-B (22°,285HP)	M2828	M2829	M2830	X							
IO-520-B (22°,285HP)	M1878				X						
IO-520-B (22°,285HP)	M1978	M2010	M2005				X				
IO-520-BA (22°,285HP)	M2828	M2829	M2830	X							
IO-520-BA (22°,285HP)	M1878				X						
IO-520-BA (22°,285HP)	M1978	M2010	M2005				X				
IO-520-BB (22°,285HP)	M2828	M2829	M2830	X							
IO-520-BB (22°,285HP)	M1878				X						
IO-520-BB (22°,285HP)	M1978	M2010	M2005				X				
IO-520-C (22°,285HP)	M2828	M2829	M2830	X							
IO-520-C (22°,285HP)	M1878				X						
IO-520-C (22°,285HP)	M1978	M2010	M2005				X				

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-10	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300		6200, 6300		600		SA-20, SA-200		S6-20, S6-200		SA-1200		S6-1200		D2000, D3000		Notes
IO-520-CB (22°,285HP)	M2828	M2829	M2830	X																
IO-520-CB (22°,285HP)	M1878					X														
IO-520-CB (22°,285HP)	M1978	M2010	M2005							X										
IO-520-D (22°,300HP)	M2828	M2829	M2830	X																
IO-520-D (22°,300HP)	M1878					X														
IO-520-D (22°,300HP)	M1978	M2010	M2005							X										
IO-520-E (22°,300HP)	M2828	M2829	M2830	X																
IO-520-E (22°,300HP)	M1878					X														
IO-520-E (22°,300HP)	M1978	M2010	M2005							X										
IO-520-F (22°,300HP)	M2828	M2829	M2830	X																
IO-520-F (22°,300HP)	M1878					X														
IO-520-F (22°,300HP)	M1978	M2010	M2005							X										
IO-520-J (22°,285HP)	M2828	M2829	M2830	X																
IO-520-J (22°,285HP)	M1878					X														
IO-520-J (22°,285HP)	M1978	M2010	M2005							X										
IO-520-K (22°,300HP)	M2828	M2829	M2830	X																
IO-520-K (22°,300HP)	M1878					X														
IO-520-K (22°,300HP)	M1978	M2010	M2005							X										
IO-520-L (22°,300HP)	M2828	M2829	M2830	X																
IO-520-L (22°,300HP)	M1878					X														
IO-520-L (22°,300HP)	M1978	M2010	M2005							X										
IO-520-M (22°,285HP)	M2828	M2829	M2830	X																
IO-520-M (22°,285HP)	M1878					X														
IO-520-M (22°,285HP)	M1978	M2010	M2005							X										
IO-520-MB (22°,285HP)	M2828	M2829	M2830	X																
IO-520-MB (22°,285HP)	M1878					X														
IO-520-MB (22°,285HP)	M1978	M2010	M2005							X										
IO-520-N (22°,300HP)	M2828	M2829	M2830	X																
IO-520-N (22°,300HP)	M1878					X														
IO-520-N (22°,300HP)	M1978	M2010	M2005							X										
IO-520-NB (22°,300HP)	M2828	M2829	M2830	X																
IO-520-NB (22°,300HP)	M1878					X														
IO-520-NB (22°,300HP)	M1978	M2010	M2005							X										
IO-550-A (22°,300HP)	M2828	M2829	M2830	X																
LTSIO-520-AE (20°,250HP)	M1978	M2010	M2005							X										
O-200-A (25°,100HP)	M1780	M1755	M1745	X																
O-200-A (25°,100HP)	M2007	M2013	M2012							X										
O-200-B (25°,100HP)	M1780	M1755	M1745	X																
O-200-B (25°,100HP)	M2007	M2013	M2012							X										
O-200-C (25°,100HP)	M1780	M1755	M1745	X																
O-200-C (25°,100HP)	M2007	M2013	M2012							X										

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-11	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
O-300-A (26°,145HP)	M2932	M2930	M2931	X							
O-300-A (26°,145HP)	M1884	M1920	M1915		X						
O-300-A (26°,145HP)	M2130	M2132	M2131				X				
O-300-B (26°,145HP)	M2932	M2930	M2931	X							
O-300-B (26°,145HP)	M1884	M1920	M1915		X						
O-300-B (26°,145HP)	M2130	M2132	M2131				X				
O-300-C (26°,145HP)	M2932	M2930	M2931	X							
O-300-C (26°,145HP)	M1884	M1920	M1915		X						
O-300-C (26°,145HP)	M2130	M2132	M2131				X				
O-300-D (26°,145HP)	M2932	M2930	M2931	X							
O-300-D (26°,145HP)	M1884	M1920	M1915		X						
O-300-D (26°,145HP)	M2130	M2132	M2131				X				
O-300-E (26°,145HP)	M2932	M2930	M2931	X							
O-300-E (26°,145HP)	M1884	M1920	M1915		X						
O-300-E (26°,145HP)	M2130	M2132	M2131				X				
O-470-11 (26°,213HP)	M6068	M6066	M6067	X							
O-470-11 (26°,213HP)	M2176	M2178	M2177				X				
O-470-11B (26°,213HP)	M6068	M6066	M6067	X							
O-470-11B (26°,213HP)	M2176	M2178	M2177				X				
O-470-11B-C1 (26°,213HP)	M6068	M6066	M6067	X							
O-470-11B-C1 (26°,213HP)	M2176	M2178	M2177				X				
O-470-11-C1 (26°,213HP)	M6068	M6066	M6067	X							
O-470-11-C1 (26°,213HP)	M2176	M2178	M2177				X				
O-470-13 (26°,225HP)	M6068	M6066	M6067	X							
O-470-13 (26°,225HP)	M2176	M2178	M2177				X				
O-470-13A (26°,225HP)	M6068	M6066	M6067	X							
O-470-13A (26°,225HP)	M2176	M2178	M2177				X				
O-470-15 (26°,213HP)	M6068	M6066	M6067	X							
O-470-15 (26°,213HP)	M2176	M2178	M2177				X				
O-470-4 (26°,225HP)	M6068	M6066	M6067	X							
O-470-4 (26°,225HP)	M2176	M2178	M2177				X				
O-470-A (26°,225HP)	M2828	M2829	M2830	X							
O-470-A (26°,225HP)	M1878				X						
O-470-A (26°,225HP)	M1978	M2010	M2005				X				
O-470-B (24°,240HP)	M2828	M2829	M2830	X							
O-470-B (24°,240HP)	M1878				X						
O-470-B (24°,240HP)	M1978	M2010	M2005				X				
O-470-B-C1 (24°,240HP)	M2828	M2829	M2830	X							
O-470-B-C1 (24°,240HP)	M1878				X						
O-470-B-C1 (24°,240HP)	M1978	M2010	M2005				X				
O-470-E (26°,225HP)	M2828	M2829	M2830	X							
O-470-E (26°,225HP)	M1878				X						
O-470-E (26°,225HP)	M1978	M2010	M2005				X				
O-470-G (24°,240HP)	M2828	M2829	M2830	X							
O-470-G (24°,240HP)	M1878				X						

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-12	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300		6200, 6300		600		S4-20, S4-200		S6-20, S6-200		S4-1200		S6-1200		D2000, D3000		Notes
O-470-G (24°,240HP)	M1978	M2010	M2005								X									
O-470-G-C1 (24°,240HP)	M2828	M2829	M2830	X																
O-470-G-C1 (24°,240HP)	M1878					X														
O-470-G-C1 (24°,240HP)	M1978	M2010	M2005								X									
O-470-H (24°,240HP)	M2828	M2829	M2830	X																
O-470-H (24°,240HP)	M1878					X														
O-470-H (24°,240HP)	M1978	M2010	M2005								X									
O-470-J (20°,225HP)	M2828	M2829	M2830	X																
O-470-J (20°,225HP)	M1878					X														
O-470-J (20°,225HP)	M1978	M2010	M2005								X									
O-470-K (22°,230HP)	M2828	M2829	M2830	X																
O-470-K (22°,230HP)	M1878					X														
O-470-K (22°,230HP)	M1978	M2010	M2005								X									
O-470-K-C1 (22°,230HP)	M2828	M2829	M2830	X																
O-470-K-C1 (22°,230HP)	M1878					X														
O-470-K-C1 (22°,230HP)	M1978	M2010	M2005								X									
O-470-L (22°,230HP)	M2828	M2829	M2830	X																
O-470-L (22°,230HP)	M1878					X														
O-470-L (22°,230HP)	M1978	M2010	M2005								X									
O-470-L-C1 (22°,230HP)	M2828	M2829	M2830	X																
O-470-L-C1 (22°,230HP)	M1878					X														
O-470-L-C1 (22°,230HP)	M1978	M2010	M2005								X									
O-470-M (24°,240HP)	M2828	M2829	M2830	X																
O-470-M (24°,240HP)	M1878					X														
O-470-M (24°,240HP)	M1978	M2010	M2005								X									
O-470-M-C1 (24°,240HP)	M2828	M2829	M2830	X																
O-470-M-C1 (24°,240HP)	M1878					X														
O-470-M-C1 (24°,240HP)	M1978	M2010	M2005								X									
O-470-N (24°,240HP)	M2828	M2829	M2830	X																
O-470-N (24°,240HP)	M1878					X														
O-470-N (24°,240HP)	M1978	M2010	M2005								X									
O-470-P (24°,240HP)	M2828	M2829	M2830	X																
O-470-P (24°,240HP)	M1878					X														
O-470-P (24°,240HP)	M1978	M2010	M2005								X									
O-470-R (22°,230HP)	M2828	M2829	M2830	X																
O-470-R (22°,230HP)	M1878					X														
O-470-R (22°,230HP)	M1978	M2010	M2005								X									
O-470-S (22°,230HP)	M2828	M2829	M2830	X																
O-470-S (22°,230HP)	M1878					X														
O-470-S (22°,230HP)	M1978	M2010	M2005								X									
O-470-T (24°,230HP)	M2828	M2829	M2830	X																
O-470-T (24°,230HP)	M1878					X														
O-470-T (24°,230HP)	M1978	M2010	M2005								X									
O-470-U (24°,230HP)	M2828	M2829	M2830	X																
O-470-U (24°,230HP)	M1878					X														
O-470-U (24°,230HP)	M1978	M2010	M2005								X									

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-13	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
TSIO-470-B (22°, 260HP)	M1978	M2010	M2005						X		
TSIO-470-C (22°, 260HP)	M1978	M2010	M2005						X		
TSIO-470-D (22°, 260HP)	M1978	M2010	M2005						X		
TSIO-520-A (20°, 285HP)	M1878					X					
TSIO-520-A (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-AE (20°, 250HP)	M1978	M2010	M2005						X		
TSIO-520-B (20°, 285HP)	M1878					X					
TSIO-520-B (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-BB (20°, 285HP)	M1878					X					
TSIO-520-BB (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-C (20°, 285HP)	M1878					X					
TSIO-520-C (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-CE (20°, 325HP)	M1878					X					
TSIO-520-CE (20°, 325HP)	M1978	M2010	M2005						X		
TSIO-520-D (20°, 285HP)	M1878					X					
TSIO-520-D (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-DB (20°, 285HP)	M1878					X					
TSIO-520-DB (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-E (20°, 300HP)	M1878					X					
TSIO-520-E (20°, 300HP)	M1978	M2010	M2005						X		
TSIO-520-EB (20°, 300HP)	M1878					X					
TSIO-520-EB (20°, 300HP)	M1978	M2010	M2005						X		
TSIO-520-G (22°, 300HP)	M1878					X					
TSIO-520-G (22°, 300HP)	M1978	M2010	M2005						X		
TSIO-520-H (20°, 285HP)	M1878					X					
TSIO-520-H (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-J (20°, 310HP)	M1878					X					
TSIO-520-J (20°, 310HP)	M1978	M2010	M2005						X		
TSIO-520-JB (20°, 310HP)	M1878					X					
TSIO-520-JB (20°, 310HP)	M1978	M2010	M2005						X		
TSIO-520-K (20°, 285HP)	M1878					X					
TSIO-520-K (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-KB (20°, 285HP)	M1878					X					
TSIO-520-KB (20°, 285HP)	M1978	M2010	M2005						X		
TSIO-520-L (20°, 310HP)	M1878					X					
TSIO-520-L (20°, 310HP)	M1978	M2010	M2005						X		
TSIO-520-LB (20°, 310HP)	M1878					X					
TSIO-520-LB (20°, 310HP)	M1978	M2010	M2005						X		
TSIO-520-M (22°, 310HP)	M1878					X					
TSIO-520-M (22°, 310HP)	M1978	M2010	M2005						X		
TSIO-520-N (20°, 310HP)	M1878					X					
TSIO-520-N (20°, 310HP)	M1978	M2010	M2005						X		
TSIO-520-NB (20°, 310HP)	M1878					X					
TSIO-520-NB (20°, 310HP)	M1978	M2010	M2005						X		
TSIO-520-P (22°, 310HP)	M1878					X					

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-14	G

## Teledyne Continental Motors

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
TSIO-520-P (22°,310HP)	M1978	M2010	M2005					X			
TSIO-520-R (22°,310HP)	M1878					X					
TSIO-520-R (22°,310HP)	M1978	M2010	M2005					X			
TSIO-520-T (22°,310HP)	M1878					X					
TSIO-520-T (22°,310HP)	M1978	M2010	M2005					X			
TSIO-520-U (22°,300HP)	M1878					X					
TSIO-520-U (22°,300HP)	M1978	M2010	M2005					X			
TSIO-520-UB (22°,300HP)	M1878					X					
TSIO-520-UB (22°,300HP)	M1978	M2010	M2005					X			
TSIO-520-VB (20°,325HP)	M1878					X					
TSIO-520-VB (20°,325HP)	M1978	M2010	M2005					X			
TSIO-520-WB (20°,325HP)	M1878					X					
TSIO-520-WB (20°,325HP)	M1978	M2010	M2005					X			

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
AEIO-320-D1B (25°,160HP)	M4005	M2981	M2982	X							2
AEIO-320-D1B (25°,160HP)	M2364	M1980	M1975				X				2
AEIO-320-D1B (25°,160HP)	M2365	M2017	M2016					X			2
AEIO-320-D2B (25°,160HP)	M4005	M2981	M2982	X							2
AEIO-320-D2B (25°,160HP)	M2364	M1980	M1975				X				2
AEIO-320-D2B (25°,160HP)	M2365	M2017	M2016					X			2
AEIO-320-E1A (25°,150HP)	M4004	M2989	M2990	X							2
AEIO-320-E1A (25°,150HP)	M2364	M1980	M1975				X				2
AEIO-320-E1A (25°,150HP)	M2365	M2017	M2016					X			2
AEIO-320-E1B (25°,150HP)	M4001	M1795	M2992	X							2
AEIO-320-E1B (25°,150HP)	M2364	M1980	M1975				X				2
AEIO-320-E1B (25°,150HP)	M2365	M2017	M2016					X			2
AEIO-320-E2A (25°,150HP)	M4004	M2989	M2990	X							2
AEIO-320-E2A (25°,150HP)	M2364	M1980	M1975				X				2
AEIO-320-E2A (25°,150HP)	M2365	M2017	M2016					X			2
AEIO-320-E2B (25°,150HP)	M4001	M1795	M2992	X							2
AEIO-320-E2B (25°,150HP)	M2364	M1980	M1975				X				2
AEIO-320-E2B (25°,150HP)	M2365	M2017	M2016					X			2
AEIO-360-A1A (20°,200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1A (20°,200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1A (20°,200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1A (25°,200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1A (25°,200HP)	M2364	M1980	M1975				X				2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-15	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
AEIO-360-A1A (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B (20°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1B (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B (25°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1B (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B6 (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B6 (20°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1B6 (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1B6 (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1B6 (25°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1B6 (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1C (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1C (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A1D (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1D (20°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1D (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1D (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1D (25°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1D (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1E (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1E (20°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1E (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1E (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1E (25°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A1E (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A1E6 (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A1E6 (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A2A (20°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A2A (25°, 200HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-A2B (20°, 200HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-A2B (20°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A2B (20°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A2B (25°, 200HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-A2B (25°, 200HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-A2B (25°, 200HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-A2C (20°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-A2C (25°, 200HP)	M4012	M4019	M4020	X							2, 3
AEIO-360-B1B (25°, 180HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-B1B (25°, 180HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-B1B (25°, 180HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-B1D (25°, 180HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-B1F (25°, 180HP)	M4005	M2981	M2982	X							2, 3
AEIO-360-B1F (25°, 180HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-B1F (25°, 180HP)	M2365	M2017	M2016					X			2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-16	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200		S4-1200 S6-1200	D2000; D3000	Notes
AEIO-360-B1F6 (25°,180HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-B1F6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-B1F6 (25°,180HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-B1G6 (25°,180HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-B1G6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-B1G6 (25°,180HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-B2F (25°,180HP)	M4005	M2981	M2982	X							2, 3
AEIO-360-B2F (25°,180HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-B2F (25°,180HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-B2F6 (25°,180HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-B4A (25°,180HP)	M4004	M2989	M2990	X							2, 3
AEIO-360-B4A (25°,180HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-B4A (25°,180HP)	M2365	M2017	M2016					X			2, 3
AEIO-360-H1A (25°,180HP)	M4001	M1795	M2992	X							2, 3
AEIO-360-H1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
AEIO-360-H1A (25°,180HP)	M2365	M2017	M2016					X			2, 3
AEIO-540-D4A5 (25°,260HP)	M6014	M6027	M2956		X						
AEIO-540-D4A5 (25°,260HP)	M6030	M6023	M6024		X						
AEIO-540-D4A5 (25°,260HP)	M2121	M2123	M2122				X				
AEIO-540-D4A5 (25°,260HP)	M2154	M2155	M2156						X		
AEIO-540-D4B5 (25°,260HP)	M6000	M2961	M2962		X						
AEIO-540-D4B5 (25°,260HP)	M6030	M6023	M6024		X						
AEIO-540-D4B5 (25°,260HP)	M6001	M2959	M2960		X						
AEIO-540-D4B5 (25°,260HP)	M2121	M2123	M2122				X				
AEIO-540-D4B5 (25°,260HP)	M2154	M2155	M2156						X		
AEIO-540-D4C5 (25°,260HP)	M6000	M2961	M2962		X						
AEIO-540-D4D5 (25°,260HP)	M6014	M6027	M2956		X						
AEIO-540-L1B5 (20°,300HP)	M6001	M2959	M2960		X						
AIO-320-A1B (25°,160HP)	M4005	M2981	M2982	X							2
AIO-320-A1B (25°,160HP)	M2364	M1980	M1975				X				2
AIO-320-A1B (25°,160HP)	M2365	M2017	M2016					X			2
AIO-320-A2A (25°,160HP)	M4007	M2977	M2976	X							2
AIO-320-A2B (25°,160HP)	M4001	M1795	M2992	X							2
AIO-320-A2B (25°,160HP)	M2364	M1980	M1975				X				2
AIO-320-A2B (25°,160HP)	M2365	M2017	M2016					X			2
AIO-320-B1B (25°,160HP)	M4005	M2981	M2982	X							2
AIO-320-B1B (25°,160HP)	M2364	M1980	M1975				X				2
AIO-320-B1B (25°,160HP)	M2365	M2017	M2016					X			2
AIO-320-C1B (25°,160HP)	M4005	M2981	M2982	X							2
AIO-360-A1A (20°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A1A (20°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-A1A (25°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A1A (25°,200HP)	M2365	M2017	M2016					X			2, 3

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-17	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
AIO-360-A1B (20°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A1B (20°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-A1B (25°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A1B (25°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-A2B (20°,200HP)	M4001	M1795	M2992	X							2, 3
AIO-360-A2B (20°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A2B (20°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-A2B (25°,200HP)	M4001	M1795	M2992	X							2, 3
AIO-360-A2B (25°,200HP)	M2364	M1980	M1975				X				2, 3
AIO-360-A2B (25°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-B1B (20°,200HP)	M2365	M2017	M2016					X			2, 3
AIO-360-B1B (25°,200HP)	M2365	M2017	M2016					X			2, 3
GO-435-C2A (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2A2 (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2B (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2B1 (25°,260HP)	M2474	M2475	M2476					X			
GO-435-C2B2 (25°,260HP)	M2474	M2475	M2476					X			
GO-480-B (25°,270HP)	M2474	M2475	M2476					X			
GO-480-B1A6 (25°,270HP)	M2474	M2475	M2476					X			
GO-480-B1C (25°,270HP)	M2474	M2475	M2476					X			
GO-480-B1D (25°,270HP)	M2474	M2475	M2476					X			
GO-480-C1D6 (25°,295HP)	M2474	M2475	M2476					X			
GO-480-D1A (25°,275HP)	M2854	M2855	M2476					X			
GO-480-G1A6 (25°,295HP)	M2474	M2475	M2476					X			
GO-480-G1B6 (25°,295HP)	M2854	M2855	M2476					X			
GO-480-G1D6 (25°,295HP)	M2474	M2475	M2476					X			
GO-480-G1J6 (25°,295HP)	M2736	M2737	M2738					X			
GO-480-G1J6 (25°,295HP)	M2742	M2743	M2744						X		
GSO-480-B1J6 (25°,340HP)	M2748	M2749	M2750					X			
GSO-480-B1J6 (25°,340HP)	M2745	M2746	M2747						X		
HIO-360-A1A (25°,180HP)	M2817	M2818	M2819				X				2, 3
HIO-360-B1A (25°,180HP)	M2795	M2793	M2794				X				2, 3
HIO-360-C1A (25°,205HP)	M2795	M2793	M2794				X				2, 3
HIO-360-C1B (25°,205HP)	M2411	M2412	M2413					X			2, 3
HIO-360-D1A (20°,190HP)	M4007	M2977	M2976	X							2, 3
HIO-360-D1A (20°,190HP)	M2655	M2656	M2657					X			2, 3
HO-360-A1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
HO-360-B1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
HO-360-B1B (25°,180HP)	M2364	M1980	M1975				X				2, 3
HO-360-C1A (25°,180HP)	M2364	M1980	M1975				X				2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-18	G

# Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
IGSO-480-A1A6 - 1/2" (25°,340HP)	M2244	M2246	M2245				X				
IGSO-480-A1A6 - 1/2" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1A6 - 13/16" (25°,340HP)	M2244	M2246	M2245				X				
IGSO-480-A1A6 - 13/16" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1B6 - 1/2" (25°,340HP)	M2244	M2246	M2245				X				
IGSO-480-A1B6 - 1/2" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1B6 - 13/16" (25°,340HP)	M2244	M2246	M2245				X				
IGSO-480-A1B6 - 13/16" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1E6 - 1/2" (25°,340HP)	M2244	M2246	M2245				X				
IGSO-480-A1E6 - 1/2" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-480-A1E6 - 13/16" (25°,340HP)	M2244	M2246	M2245				X				
IGSO-480-A1E6 - 13/16" (25°,340HP)	M2277	M2279	M2278						X		
IGSO-540-A1D (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-A1E (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-A1F (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-B1A (25°,380HP)	M2259	M2261	M2260						X		
IGSO-540-B1C (25°,380HP)	M2259	M2261	M2260						X		
IO-320-A1A (25°,150HP)	M4000	M2975	M2976	X							2
IO-320-A2A (25°,150HP)	M4000	M2975	M2976	X							2
IO-320-B1A (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-B1A (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1A (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B1B (25°,160HP)	M4001	M1795	M2992	X							2
IO-320-B1B (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1B (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B1C (25°,160HP)	M4004	M2989	M2990	X							2
IO-320-B1C (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1C (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B1D (25°,160HP)	M4007	M2977	M2976	X							2
IO-320-B1D (25°,160HP)	M2364	M1980	M1975			X					2
IO-320-B1D (25°,160HP)	M2365	M2017	M2016				X				2
IO-320-B2A (25°,160HP)	M4004	M2989	M2990	X							2

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-19	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-320-B2A (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-B2A (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-C1A - 1/2" (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-C1A - 1/2" (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-C1A - 1/2" (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-C1A - 13/16" (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-C1A - 13/16" (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-C1A - 13/16" (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-D1A (25°,160HP)	M4005	M2981	M2982	X							2
IO-320-D1A (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-D1A (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-D1B (25°,160HP)	M4005	M2981	M2982	X							2
IO-320-D1B (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-D1B (25°,160HP)	M2365	M2017	M2016					X			2
IO-320-E1A (25°,150HP)	M4004	M2989	M2990	X							2
IO-320-E1A (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E1A (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-E1B (25°,150HP)	M4001	M1795	M2992	X							2
IO-320-E1B (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E1B (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-E2A (25°,150HP)	M4004	M2989	M2990	X							2
IO-320-E2A (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E2A (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-E2B (25°,150HP)	M4001	M1795	M2992	X							2
IO-320-E2B (25°,150HP)	M2364	M1980	M1975				X				2
IO-320-E2B (25°,150HP)	M2365	M2017	M2016					X			2
IO-320-F1A (25°,160HP)	M4000	M2975	M2976	X							2
IO-320-F1A (25°,160HP)	M2364	M1980	M1975				X				2
IO-320-F1A (25°,160HP)	M2365	M2017	M2016					X			2
IO-360-A1A (20°,200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1A (20°,200HP)	M2402	M2403	M2404				X				2, 3
IO-360-A1A (20°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1A (25°,200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1A (25°,200HP)	M2402	M2403	M2404				X				2, 3
IO-360-A1A (25°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1B (20°,200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A1B (20°,200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1B (20°,200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A1B (20°,200HP)	M4007	M2977	M2976	X							2, 3
IO-360-A1B (20°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1B (20°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1B (25°,200HP)	M4012	M4019	M4020	X							2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-20	G

# Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20, SA-200 S6-20, S6-200 SA-1200 S6-1200			D2000, D3000	Notes
IO-360-A1B (25°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1B (25°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A1B (25°, 200HP)	M4007	M2977	M2976	X							2, 3
IO-360-A1B (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1B (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1B6 (20°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A1B6 (20°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A1B6 (20°, 200HP)	M4007	M2977	M2976	X							2, 3
IO-360-A1B6 (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1B6 (20°, 200HP)	M2420	M2421	M2422					X			2, 3
IO-360-A1B6 (25°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A1B6 (25°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A1B6 (25°, 200HP)	M4007	M2977	M2976	X							2, 3
IO-360-A1B6 (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1B6 (25°, 200HP)	M2420	M2421	M2422					X			2, 3
IO-360-A1C (20°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A1C (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1C (20°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1C (25°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A1C (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1C (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A1D (20°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A1D (20°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1D (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1D (20°, 200HP)	M2420	M2421	M2422					X			2, 3
IO-360-A1D (25°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A1D (25°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A1D (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1D (25°, 200HP)	M2420	M2421	M2422					X			2, 3
IO-360-A1D6 (20°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A1D6 (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A1D6 (20°, 200HP)	M2420	M2421	M2422					X			2, 3
IO-360-A1D6 (25°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2A (20°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A2A (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2A (20°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A2A (25°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-A2A (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2A (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A2B (20°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A2B (20°, 200HP)	M4007	M2977	M2976	X							2, 3
IO-360-A2B (20°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2B (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2B (20°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A2B (25°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A2B (25°, 200HP)	M4007	M2977	M2976	X							2, 3

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-21	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
IO-360-A2B (25°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2B (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2B (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A2C (20°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2C (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2C (20°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A2C (25°, 200HP)	M4012	M4019	M4020	X							2, 3
IO-360-A2C (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-A2C (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-A3B6 (20°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-A3B6 (25°, 200HP)	M4006	M2983	M2984	X							2, 3
IO-360-B1A (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1A (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1B (25°, 180HP)	M4004	M2989	M2990	X							2, 3
IO-360-B1B (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1B (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1C (25°, 177HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1C (25°, 177HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1D (25°, 180HP)	M4004	M2989	M2990	X							2, 3
IO-360-B1D (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1D (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1E (25°, 180HP)	M4006	M2983	M2984	X							2, 3
IO-360-B1E (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1E (25°, 180HP)	M2423	M2424	M2425					X			2, 3
IO-360-B1F (25°, 180HP)	M4005	M2981	M2982	X							2, 3
IO-360-B1F (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B1F (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B1F6 (25°, 180HP)	M4001	M1795	M2992	X							2, 3
IO-360-B2E-nd (25°, 180HP)	M4006	M2983	M2984	X							2, 3, 10
IO-360-B2E-nd (25°, 180HP)	M2364	M1980	M1975				X				2, 3, 10
IO-360-B2E-nd (25°, 180HP)	M2365	M2017	M2016					X			2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M4005	M2981	M2982	X							2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M2364	M1980	M1975				X				2, 3, 10
IO-360-B2E-wd (25°, 180HP)	M2365	M2017	M2016					X			2, 3, 10
IO-360-B2F (25°, 180HP)	M4005	M2981	M2982	X							2, 3
IO-360-B2F (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B2F (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B2F6 (25°, 180HP)	M4005	M2981	M2982	X							2, 3
IO-360-B2F6 (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B2F6 (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-B4A (25°, 180HP)	M4006	M2983	M2984	X							2, 3
IO-360-B4A (25°, 180HP)	M4004	M2989	M2990	X							2, 3
IO-360-B4A (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-B4A (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-C1A (20°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-C1A (20°, 200HP)	M2364	M1980	M1975				X				2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-22	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20, S4-200 S6-20, S6-200 S4-1200 S6-1200			D2000, D3000	Notes
IO-360-C1A (20°,200HP)	M2365	M2017	M2016						X		2, 3
IO-360-C1A (25°,200HP)	M4004	M2989	M2990	X							2, 3
IO-360-C1A (25°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-C1A (25°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-C1B (20°,200HP)	M4012	M4019	M4020	X							2, 3
IO-360-C1B (20°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-C1B (20°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-C1B (25°,200HP)	M4012	M4019	M4020	X							2, 3
IO-360-C1B (25°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-C1B (25°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-C1C (20°,200HP)	M4027	M4021	M4022	X							2, 3
IO-360-C1C (20°,200HP)	M4013	M4009	M4010	X							2, 3
IO-360-C1C (20°,200HP)	M2658	M2659	M2660				X				2, 3
IO-360-C1C (20°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-C1C (25°,200HP)	M4027	M4021	M4022	X							2, 3
IO-360-C1C (25°,200HP)	M4007	M2977	M2976	X							2, 3
IO-360-C1C (25°,200HP)	M4013	M4009	M4010	X							2, 3
IO-360-C1C (25°,200HP)	M2658	M2659	M2660				X				2, 3
IO-360-C1C (25°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-C1C6 (20°,200HP)	M4027	M4021	M4022	X							2, 3
IO-360-C1C6 (20°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-C1C6 (20°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-C1C6 (25°,200HP)	M4027	M4021	M4022	X							2, 3
IO-360-C1C6 (25°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-C1C6 (25°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-C1D6 (20°,200HP)	M4012	M4019	M4020	X							2, 3
IO-360-C1D6 (20°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-C1D6 (20°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-C1D6 (25°,200HP)	M4012	M4019	M4020	X							2, 3
IO-360-C1D6 (25°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-C1D6 (25°,200HP)	M2365	M2017	M2016					X			2, 3
IO-360-C1E6 (20°,200HP)	M4027	M4021	M4022	X							2, 3
IO-360-C1E6 (20°,200HP)	M2658	M2659	M2660				X				2, 3
IO-360-C1E6 (20°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-C1E6 (25°,200HP)	M4027	M4021	M4022	X							2, 3
IO-360-C1E6 (25°,200HP)	M2658	M2659	M2660				X				2, 3
IO-360-C1E6 (25°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-C1F (20°,200HP)	M4007	M2977	M2976	X							2, 3
IO-360-C1F (20°,200HP)	M2658	M2659	M2660				X				2, 3
IO-360-C1F (20°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-C1F (25°,200HP)	M4007	M2977	M2976	X							2, 3
IO-360-C1F (25°,200HP)	M2658	M2659	M2660				X				2, 3
IO-360-C1F (25°,200HP)	M2423	M2424	M2425					X			2, 3
IO-360-D1A (20°,200HP)	M4007	M2977	M2976	X							2, 3
IO-360-D1A (20°,200HP)	M2364	M1980	M1975				X				2, 3
IO-360-D1A (20°,200HP)	M2365	M2017	M2016					X			2, 3

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-23	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20, SA-200 S6-20, S6-200 SA-1200 S6-1200			D2000, D3000	Notes
IO-360-D1A (25°, 200HP)	M4007	M2977	M2976	X							2, 3
IO-360-D1A (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-D1A (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-E1A (25°, 180HP)	M4011	M1795	M2976	X							2, 3
IO-360-E1A (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-E1A (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-F1A (25°, 180HP)	M4006	M2983	M2984	X							2, 3
IO-360-F1A (25°, 180HP)	M2364	M1980	M1975				X				2, 3
IO-360-F1A (25°, 180HP)	M2365	M2017	M2016					X			2, 3
IO-360-K2A (20°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-K2A (20°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-K2A (20°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-K2A (25°, 200HP)	M4004	M2989	M2990	X							2, 3
IO-360-K2A (25°, 200HP)	M2364	M1980	M1975				X				2, 3
IO-360-K2A (25°, 200HP)	M2365	M2017	M2016					X			2, 3
IO-360-L2A (25°, 160HP)	M4005	M2981	M2982	X							2, 3
IO-360-L2A (25°, 180HP)	M4005	M2981	M2982	X							2, 3
IO-540-A1A5 (20°, 290HP)	M6032	M6029	M6028		X						
IO-540-A1A5 (20°, 290HP)	M2121	M2123	M2122					X			
IO-540-A1A5 (20°, 290HP)	M2154	M2155	M2156						X		
IO-540-AA1A5 (20°, 270HP)	M6014	M6027	M2956		X						
IO-540-AA1A5 (20°, 270HP)	M2121	M2123	M2122					X			
IO-540-AA1A5 (20°, 270HP)	M2154	M2155	M2156						X		
IO-540-AA1B5 (20°, 270HP)	M6014	M6027	M2956		X						
IO-540-AB1A5 (23°, 230HP)	M6014	M6027	M2956		X						
IO-540-AC1A5 (20°, 300HP)	M6000	M2961	M2962		X						
IO-540-B1A5 (20°, 290HP)	M6032	M6029	M6028		X						
IO-540-B1A5 (20°, 290HP)	M2121	M2123	M2122					X			
IO-540-B1A5 (20°, 290HP)	M2154	M2155	M2156						X		
IO-540-B1B5 (20°, 290HP)	M6032	M6029	M6028		X						
IO-540-B1C5 (20°, 290HP)	M6032	M6029	M6028		X						
IO-540-B1C5 (20°, 290HP)	M2121	M2123	M2122					X			
IO-540-B1C5 (20°, 290HP)	M2154	M2155	M2156						X		
IO-540-C1B5 (25°, 250HP)	M6002	M2877	M2878		X						
IO-540-C1B5 (25°, 250HP)	M6014	M6027	M2956		X						
IO-540-C1B5 (25°, 250HP)	M2121	M2123	M2122					X			
IO-540-C1B5 (25°, 250HP)	M2154	M2155	M2156						X		
IO-540-C1C5 (25°, 250HP)	M6002	M2877	M2878		X						
IO-540-C1C5 (25°, 250HP)	M2121	M2123	M2122					X			
IO-540-C1C5 (25°, 250HP)	M2154	M2155	M2156						X		
IO-540-C2C (25°, 250HP)	M6002	M2877	M2878		X						
IO-540-C2C (25°, 250HP)	M2121	M2123	M2122					X			
IO-540-C2C (25°, 250HP)	M2154	M2155	M2156						X		
IO-540-C4B5 (25°, 250HP)	M6002	M2877	M2878		X						
IO-540-C4B5 (25°, 250HP)	M6014	M6027	M2956		X						

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-24	G

# Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20, SA-200 S6-20, S6-200 SA-1200 S6-1200			D2000, D3000	Notes
IO-540-C4B5 (25°,250HP)	M2121	M2123	M2122					X			
IO-540-C4B5 (25°,250HP)	M2154	M2155	M2156						X		
IO-540-C4C5 (25°,250HP)	M6014	M6027	M2956	X							
IO-540-C4D5 (25°,250HP)	M6014	M6027	M2956	X							
IO-540-D4A5 (25°,260HP)	M6014	M6027	M2956	X							
IO-540-D4A5 (25°,260HP)	M2121	M2123	M2122					X			
IO-540-D4A5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-D4B5 (25°,260HP)	M6000	M2961	M2962	X							
IO-540-D4B5 (25°,260HP)	M2121	M2123	M2122					X			
IO-540-D4B5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-D4C5 (25°,260HP)	M6000	M2961	M2962	X							
IO-540-D4C5 (25°,260HP)	M2121	M2123	M2122					X			
IO-540-D4C5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-E1A5 (20°,290HP)	M6014	M6027	M2956	X							
IO-540-E1A5 (20°,290HP)	M6032	M6029	M6028	X							
IO-540-E1A5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-E1A5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-E1B5 (20°,290HP)	M6016	M6008	M6009	X							
IO-540-E1B5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-E1B5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-E1C5 (20°,290HP)	M6016	M6008	M6009	X							
IO-540-G1A5 (20°,290HP)	M6032	M6029	M6028	X							
IO-540-G1A5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1A5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1A5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1B5 (20°,290HP)	M6030	M6023	M6024	X							
IO-540-G1B5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1B5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1B5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1C5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1C5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1D5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1D5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1D5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1D5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1E5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1E5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1E5 (20°,290HP)	M6032	M6029	M6028	X							
IO-540-G1E5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1E5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-G1F5 (20°,290HP)	M6000	M2961	M2962	X							
IO-540-G1F5 (20°,290HP)	M2121	M2123	M2122					X			
IO-540-G1F5 (20°,290HP)	M2453	M2454	M2455						X		
IO-540-G1F5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-J4A5 (25°,250HP)	M6015	M6006	M6007	X							
IO-540-J4A5 (25°,250HP)	M2121	M2123	M2122					X			

HARNESSES 5/8"

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-25	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
IO-540-J4A5 (25°,250HP)	M2453	M2454	M2455							X	
IO-540-J4A5 (25°,250HP)	M2154	M2155	M2156							X	
IO-540-K1A5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1A5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1A5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1A5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1A5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1B5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1B5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-K1B5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1B5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1B5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1C5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1C5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1C5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1C5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1D5 (20°,300HP)	M6032	M6029	M6028	X							
IO-540-K1D5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1D5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1E5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-K1E5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1E5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1E5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1F5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-K1F5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1F5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1F5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1G5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1G5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1G5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1G5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1H5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1H5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1H5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1H5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1J5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-K1J5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1J5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1J5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1K5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-K1K5 (20°,300HP)	M2121	M2123	M2122					X			
IO-540-K1K5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-K1K5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K1K5 (20°,300HP)	M2154	M2155	M2156							X	
IO-540-K2A5 (20°,300HP)	M2453	M2454	M2455							X	
IO-540-L1A5 (20°,300HP)	M6000	M2961	M2962	X							
IO-540-L1A5 (20°,300HP)	M2121	M2123	M2122					X			

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
526	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20, S4-200 S6-20, S6-200 S4-1200 S6-1200			D2000, D3000	Notes
IO-540-L1A5 (20°,300HP)	M2453	M2454	M2455						X		
IO-540-L1A5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-L1C5 (20°,300HP)	M6001	M2959	M2960	X							
IO-540-L1C5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-L1C5 (20°,300HP)	M2453	M2454	M2455						X		
IO-540-L1C5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-M1A5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-M1A5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-M1A5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-M1C5 (20°,300HP)	M6030	M6023	M6024	X							
IO-540-N1A5 (25°,260HP)	M6002	M2877	M2878	X							
IO-540-N1A5 (25°,260HP)	M6030	M6023	M6024	X							
IO-540-N1A5 (25°,260HP)	M2121	M2123	M2122				X				
IO-540-P1A5 (20°,290HP)	M6002	M2877	M2878	X							
IO-540-P1A5 (20°,290HP)	M2121	M2123	M2122				X				
IO-540-P1A5 (20°,290HP)	M2154	M2155	M2156						X		
IO-540-R1A5 (25°,260HP)	M6002	M2877	M2878	X							
IO-540-R1A5 (25°,260HP)	M6030	M6023	M6024	X							
IO-540-R1A5 (25°,260HP)	M2121	M2123	M2122				X				
IO-540-R1A5 (25°,260HP)	M2154	M2155	M2156						X		
IO-540-S1A5 (20°,300HP)	M6031	M6025	M6026	X							
IO-540-S1A5 (20°,300HP)	M2121	M2123	M2122				X				
IO-540-S1A5 (20°,300HP)	M2154	M2155	M2156						X		
IO-540-T4B5 (25°,260HP)	M6000	M2961	M2962	X							
IO-540-W1A5 (23°,235HP)	M6002	M2877	M2878	X							
IVO-360-A1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
LIO-320-B1A (25°,160HP)	M4000	M2975	M2976	X							2
LIO-320-B1A (25°,160HP)	M2112	M1870	M1871				X				2
LIO-320-B1A (25°,160HP)	M2365	M2017	M2016					X			2
LIO-320-C1A (25°,160HP)	M4000	M2975	M2976	X							2
LIO-320-C1A (25°,160HP)	M2112	M1870	M1871				X				2
LIO-320-C1A (25°,160HP)	M2365	M2017	M2016					X			2
LIO-360-C1E6 (20°,200HP)	M4027	M4021	M4022	X							2, 3
LIO-360-C1E6 (20°,200HP)	M2658	M2659	M2660				X				2, 3
LIO-360-C1E6 (20°,200HP)	M2423	M2424	M2425					X			2, 3
LIO-360-C1E6 (25°,200HP)	M4027	M4021	M4022	X							2, 3
LIO-360-C1E6 (25°,200HP)	M2658	M2659	M2660				X				2, 3
LIO-360-C1E6 (25°,200HP)	M2423	M2424	M2425					X			2, 3
O-235-C1 (25°,115HP)	M4004	M2989	M2990	X							2
O-235-C1 (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C1 (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C1B (25°,115HP)	M4004	M2989	M2990	X							2

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-27	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-235-C1B (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C1B (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C1C (25°,115HP)	M4001	M1795	M2992	X							2
O-235-C1C (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C1C (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C2A (25°,115HP)	M4004	M2989	M2990	X							2
O-235-C2A (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C2A (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C2B (25°,115HP)	M4005	M2981	M2982	X							2
O-235-C2B (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C2B (25°,115HP)	M2365	M2017	M2016					X			2
O-235-C2C (25°,115HP)	M4001	M1795	M2992	X							2
O-235-C2C (25°,115HP)	M2364	M1980	M1975				X				2
O-235-C2C (25°,115HP)	M2365	M2017	M2016					X			2
O-235-E1 (25°,115HP)	M4001	M1795	M2992	X							2
O-235-E1 (25°,115HP)	M2364	M1980	M1975				X				2
O-235-E1 (25°,115HP)	M2365	M2017	M2016					X			2
O-235-E2A (25°,115HP)	M4004	M2989	M2990	X							2
O-235-E2A (25°,115HP)	M2364	M1980	M1975				X				2
O-235-E2A (25°,115HP)	M2365	M2017	M2016					X			2
O-235-E2B (25°,115HP)	M4001	M1795	M2992	X							2
O-235-E2B (25°,115HP)	M2364	M1980	M1975				X				2
O-235-E2B (25°,115HP)	M2365	M2017	M2016					X			2
O-235-F1 (25°,125HP)	M4001	M1795	M2992	X							2
O-235-F1 (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F1 (25°,125HP)	M2365	M2017	M2016					X			2
O-235-F1B (25°,125HP)	M4004	M2989	M2990	X							2
O-235-F1B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F1B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-F2A (25°,125HP)	M4004	M2989	M2990	X							2
O-235-F2A (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F2A (25°,125HP)	M2365	M2017	M2016					X			2
O-235-F2B (25°,125HP)	M4005	M2981	M2982	X							2
O-235-F2B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-F2B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-G1 (25°,125HP)	M4004	M2989	M2990	X							2
O-235-G1 (25°,125HP)	M2364	M1980	M1975				X				2
O-235-G1 (25°,125HP)	M2365	M2017	M2016					X			2
O-235-G2A (25°,125HP)	M4004	M2989	M2990	X							2
O-235-G2A (25°,125HP)	M2364	M1980	M1975				X				2
O-235-G2A (25°,125HP)	M2365	M2017	M2016					X			2
O-235-G2B (25°,125HP)	M4001	M1795	M2992	X							2
O-235-G2B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-G2B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-H2C (25°,115HP)	M4001	M1795	M2992	X							2
O-235-H2C (25°,115HP)	M2364	M1980	M1975				X				2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-28	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20, S4-200 S6-20, S6-200 S4-1200 S6-1200			D2000, D3000	Notes
O-235-H2C (25°,115HP)	M2365	M2017	M2016					X			2
O-235-J2A (25°,125HP)	M4004	M2989	M2990	X							2
O-235-J2A (25°,125HP)	M2364	M1980	M1975				X				2
O-235-J2A (25°,125HP)	M2365	M2017	M2016					X			2
O-235-J2B (25°,125HP)	M4001	M1795	M2992	X							2
O-235-J2B (25°,125HP)	M2364	M1980	M1975				X				2
O-235-J2B (25°,125HP)	M2365	M2017	M2016					X			2
O-235-K2A (20°,118HP)	M4004	M2989	M2990	X							2
O-235-K2A (20°,118HP)	M2364	M1980	M1975				X				2
O-235-K2A (20°,118HP)	M2365	M2017	M2016					X			2
O-235-K2B (20°,118HP)	M4005	M2981	M2982	X							2
O-235-K2B (20°,118HP)	M2364	M1980	M1975				X				2
O-235-K2B (20°,118HP)	M2365	M2017	M2016					X			2
O-235-K2C (20°,118HP)	M4001	M1795	M2992	X							2
O-235-K2C (20°,118HP)	M2364	M1980	M1975				X				2
O-235-K2C (20°,118HP)	M2365	M2017	M2016					X			2
O-235-L2A (20°,118HP)	M4004	M2989	M2990	X							2
O-235-L2A (20°,118HP)	M2364	M1980	M1975				X				2
O-235-L2A (20°,118HP)	M2365	M2017	M2016					X			2
O-235-L2C (20°,118HP)	M4001	M1795	M2992	X							2
O-235-L2C (20°,118HP)	M2364	M1980	M1975				X				2
O-235-L2C (20°,118HP)	M2365	M2017	M2016					X			2
O-235-M1 (20°,118HP)	M4004	M2989	M2990	X							2
O-235-M1 (20°,118HP)	M2364	M1980	M1975				X				2
O-235-M1 (20°,118HP)	M2365	M2017	M2016					X			2
O-235-M2C (20°,118HP)	M4001	M1795	M2992	X							2
O-235-M2C (20°,118HP)	M2364	M1980	M1975				X				2
O-235-M2C (20°,118HP)	M2365	M2017	M2016					X			2
O-235-N2A (20°,116HP)	M4004	M2989	M2990	X							2
O-235-N2A (20°,116HP)	M2364	M1980	M1975				X				2
O-235-N2A (20°,116HP)	M2365	M2017	M2016					X			2
O-235-N2C (20°,116HP)	M4001	M1795	M2992	X							2
O-235-N2C (20°,116HP)	M2364	M1980	M1975				X				2
O-235-N2C (20°,116HP)	M2365	M2017	M2016					X			2
O-235-P1 (20°,116HP)	M4004	M2989	M2990	X							2
O-235-P1 (20°,116HP)	M2364	M1980	M1975				X				2
O-235-P1 (20°,116HP)	M2365	M2017	M2016					X			2
O-235-P2A (20°,116HP)	M4004	M2989	M2990	X							2
O-235-P2A (20°,116HP)	M2364	M1980	M1975				X				2
O-235-P2A (20°,116HP)	M2365	M2017	M2016					X			2
O-290-D (20°,125HP)	M4004	M2989	M2990	X							2
O-290-D2 (18°,135HP)	M4004	M2989	M2990	X							2
O-290-D2A (18°,135HP)	M2364	M1980	M1975				X				2
O-290-D2B (25°,135HP)	M2364	M1980	M1975				X				2
O-290-D2C (25°,135HP)	M2364	M1980	M1975				X				2

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-29	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-A1A (25°,150HP)	M4001	M1795	M2992	X							2
O-320-A1A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-A1A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-A1B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-A1B (25°,150HP)	M2364	M1980	M1975				X				2
O-320-A1B (25°,150HP)	M2365	M2017	M2016					X			2
O-320-A2A (25°,150HP)	M4004	M2989	M2990	X							2
O-320-A2A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-A2A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-A2B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-A2B (25°,150HP)	M2402	M2403	M2404				X				2
O-320-A2C (25°,150HP)	M4004	M2989	M2990	X							2
O-320-A2C (25°,150HP)	M2402	M2403	M2404				X				2
O-320-A2C (25°,150HP)	M2365	M2017	M2016					X			2
O-320-A2D (25°,150HP)	M4001	M1795	M2992	X							2
O-320-A2D (25°,150HP)	M2364	M1980	M1975				X				2
O-320-A2D (25°,150HP)	M2365	M2017	M2016					X			2
O-320-A3A (25°,150HP)	M4004	M2989	M2990	X							2
O-320-A3A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-A3A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-A3B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-A3B (25°,150HP)	M2364	M1980	M1975				X				2
O-320-A3B (25°,150HP)	M2365	M2017	M2016					X			2
O-320-A3C (25°,150HP)	M4004	M2989	M2990	X							2
O-320-A3C (25°,150HP)	M2402	M2403	M2404				X				2
O-320-A3C (25°,150HP)	M2365	M2017	M2016					X			2
O-320-B1A (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B1A (25°,160HP)	M2364	M1980	M1975				X				2
O-320-B1A (25°,160HP)	M2365	M2017	M2016					X			2
O-320-B1B (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B1B (25°,160HP)	M2364	M1980	M1975				X				2
O-320-B2A (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B2A (25°,160HP)	M2364	M1980	M1975				X				2
O-320-B2A (25°,160HP)	M2365	M2017	M2016					X			2
O-320-B2B (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B2B (25°,160HP)	M2364	M1980	M1975				X				2
O-320-B2B (25°,160HP)	M2365	M2017	M2016					X			2
O-320-B2C (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B2C (25°,160HP)	M2402	M2403	M2404				X				2
O-320-B2D (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B3A (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B3A (25°,160HP)	M2364	M1980	M1975				X				2
O-320-B3A (25°,160HP)	M2365	M2017	M2016					X			2
O-320-B3B (25°,160HP)	M4004	M2989	M2990	X							2
O-320-B3B (25°,160HP)	M2364	M1980	M1975				X				2
O-320-B3B (25°,160HP)	M2365	M2017	M2016					X			2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-30	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300		6200, 6300		600		SA-20, SA-200		S6-20, S6-200		SA-1200		S6-1200		D2000, D3000		Notes
O-320-B3C (25°,160HP)	M4004	M2989	M2990	X																2
O-320-B3C (25°,160HP)	M2402	M2403	M2404							X										2
O-320-B3C (25°,160HP)	M2365	M2017	M2016								X									2
O-320-C1A (25°,150HP)	M4001	M1795	M2992	X																2
O-320-C1A (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C1A (25°,150HP)	M2365	M2017	M2016								X									2
O-320-C1B (25°,150HP)	M4004	M2989	M2990	X																2
O-320-C1B (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C1B (25°,150HP)	M2365	M2017	M2016								X									2
O-320-C2A (25°,150HP)	M4004	M2989	M2990	X																2
O-320-C2A (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C2A (25°,150HP)	M2365	M2017	M2016								X									2
O-320-C2B (25°,150HP)	M4004	M2989	M2990	X																2
O-320-C2B (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C2B (25°,150HP)	M2365	M2017	M2016								X									2
O-320-C2C (25°,150HP)	M4004	M2989	M2990	X																2
O-320-C2C (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C2C (25°,150HP)	M2365	M2017	M2016								X									2
O-320-C3A (25°,150HP)	M4001	M1795	M2992	X																2
O-320-C3A (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C3A (25°,150HP)	M2365	M2017	M2016								X									2
O-320-C3B (25°,150HP)	M4004	M2989	M2990	X																2
O-320-C3B (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C3B (25°,150HP)	M2365	M2017	M2016								X									2
O-320-C3C (25°,150HP)	M4004	M2989	M2990	X																2
O-320-C3C (25°,150HP)	M2364	M1980	M1975							X										2
O-320-C3C (25°,150HP)	M2365	M2017	M2016								X									2
O-320-D1A (25°,150HP)	M4004	M2989	M2990	X																2
O-320-D1A (25°,150HP)	M2364	M1980	M1975							X										2
O-320-D1A (25°,150HP)	M2365	M2017	M2016								X									2
O-320-D1A (25°,160HP)	M4004	M2989	M2990	X																2
O-320-D1A (25°,160HP)	M2364	M1980	M1975							X										2
O-320-D1A (25°,160HP)	M2365	M2017	M2016								X									2
O-320-D1B (25°,150HP)	M2364	M1980	M1975							X										2
O-320-D1B (25°,150HP)	M2365	M2017	M2016								X									2
O-320-D1B (25°,160HP)	M2364	M1980	M1975							X										2
O-320-D1B (25°,160HP)	M2365	M2017	M2016								X									2
O-320-D1C (25°,150HP)	M4005	M2981	M2982	X																2
O-320-D1C (25°,150HP)	M2364	M1980	M1975							X										2
O-320-D1C (25°,150HP)	M2365	M2017	M2016								X									2
O-320-D1C (25°,160HP)	M4005	M2981	M2982	X																2
O-320-D1C (25°,160HP)	M2364	M1980	M1975							X										2
O-320-D1C (25°,160HP)	M2365	M2017	M2016								X									2
O-320-D1D (25°,150HP)	M4001	M1795	M2992	X																2
O-320-D1D (25°,150HP)	M2364	M1980	M1975							X										2
O-320-D1D (25°,150HP)	M2365	M2017	M2016								X									2

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-31	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-D2C (25											
O-320-D1D (25°,160HP)	M4001	M1795	M2992	X							2
O-320-D1D (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D1D (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D1F (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D1F (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D1F (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D1F (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D1F (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D1F (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D2A (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D2A (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D2A (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D2A (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D2A (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D2A (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D2B (25°,150HP)	M4004	M2989	M2990	X							2
O-320-D2B (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D2B (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D2B (25°,160HP)	M4004	M2989	M2990	X							2
O-320-D2B (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D2B (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D2C (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D2C (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D2C (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D2C (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D2C (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D2C (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D2F (25°,150HP)	M4005	M2981	M2982	X							2
O-320-D2F (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D2F (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D2F (25°,160HP)	M4005	M2981	M2982	X							2
O-320-D2F (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D2F (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D2G (25°,150HP)	M4001	M1795	M2992	X							2
O-320-D2G (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D2G (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D2G (25°,160HP)	M4001	M1795	M2992	X							2
O-320-D2G (25°,160HP)	M2364	M1980	M1975				X				2
O-320-D2G (25°,160HP)	M2365	M2017	M2016					X			2
O-320-D2H (25°,150HP)	M4001	M1795	M2992	X							2
O-320-D2H (25°,150HP)	M2364	M1980	M1975				X				2
O-320-D2H (25°,150HP)	M2365	M2017	M2016					X			2
O-320-D2H (25°,160HP)	M4001	M1795	M2992	X							2
O-320-D2H (25°,160HP)	M2364	M1980	M1975				X				2

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-32	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20, SA-200 S6-20, S6-200 SA-1200 S6-1200			D2000, D3000	Notes
O-320-D2H (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-D2J (25°, 150HP)	M4002	M2513	M2512	X							2
O-320-D2J (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-D2J (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-D2J (25°, 160HP)	M4002	M2513	M2512	X							2
O-320-D2J (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-D2J (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-D3G (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-D3G (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-D3G (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-D3G (25°, 160HP)	M4001	M1795	M2992	X							2
O-320-D3G (25°, 160HP)	M2364	M1980	M1975				X				2
O-320-D3G (25°, 160HP)	M2365	M2017	M2016					X			2
O-320-E1A (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-E1A (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1A (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1B (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1B (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1C (25°, 150HP)	M4005	M2981	M2982	X							2
O-320-E1C (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1C (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1F (25°, 150HP)	M4005	M2981	M2982	X							2
O-320-E1F (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1F (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E1J (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-E1J (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E1J (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2A (25°, 140HP)	M4004	M2989	M2990	X							2
O-320-E2A (25°, 140HP)	M2364	M1980	M1975				X				2
O-320-E2A (25°, 140HP)	M2365	M2017	M2016					X			2
O-320-E2A (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-E2A (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2A (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2B (25°, 150HP)	M4004	M2989	M2990	X							2
O-320-E2B (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2B (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2C (25°, 140HP)	M4007	M2977	M2976	X							2
O-320-E2C (25°, 140HP)	M2364	M1980	M1975				X				2
O-320-E2C (25°, 140HP)	M2365	M2017	M2016					X			2
O-320-E2C (25°, 150HP)	M4007	M2977	M2976	X							2
O-320-E2C (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2C (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2D (25°, 150HP)	M4001	M1795	M2992	X							2
O-320-E2D (25°, 150HP)	M2364	M1980	M1975				X				2
O-320-E2D (25°, 150HP)	M2365	M2017	M2016					X			2
O-320-E2F (25°, 150HP)	M4005	M2981	M2982	X							2

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-33	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200; 4300 6200; 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-320-E2F (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E2F (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E2G (25°,150HP)	M4001	M1795	M2992	X							2
O-320-E2G (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E2G (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E2H (25°,150HP)	M4004	M2989	M2990	X							2
O-320-E2H (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E2H (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E3D (25°,150HP)	M4001	M1795	M2992	X							2
O-320-E3D (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E3D (25°,150HP)	M2365	M2017	M2016					X			2
O-320-E3H (25°,150HP)	M4005	M2981	M2982	X							2
O-320-E3H (25°,150HP)	M2364	M1980	M1975				X				2
O-320-E3H (25°,150HP)	M2365	M2017	M2016					X			2
O-340-A1A (25°,170HP)	M2364	M1980	M1975				X				2
O-340-A2A (25°,170HP)	M2364	M1980	M1975				X				2
O-360-A1A-nd (25°,180HP)	M4006	M2983	M2984	X							2, 3, 10
O-360-A1A-nd (25°,180HP)	M2364	M1980	M1975				X				2, 3, 10
O-360-A1A-nd (25°,180HP)	M2365	M2017	M2016					X			2, 3, 10
O-360-A1A-wd (25°,180HP)	M4004	M2989	M2990	X							2, 3, 10
O-360-A1A-wd (25°,180HP)	M2364	M1980	M1975				X				2, 3, 10
O-360-A1A-wd (25°,180HP)	M2365	M2017	M2016					X			2, 3, 10
O-360-A1C (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1C (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1D (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A1D (25°,180HP)	M4014	M2975	M4010	X							2, 3
O-360-A1D (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1D (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1F (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1F (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1F (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1F6 (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1F6 (25°,180HP)	M2814	M2815	M2816					X			2, 3
O-360-A1G (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1G (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1G (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1G6 (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A1G6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1G6 (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1H (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A1H (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A1H (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A1H6 (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-A1P (25°,180HP)	M4004	M2989	M2990	X							2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-34	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20, SA-200 S6-20, S6-200 SA-1200 S6-1200			D2000, D3000	Notes
O-360-A2A (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A2A (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A2A (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A2D (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A2D (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A2D (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A2E (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A2F (25°,180HP)	M4005	M2981	M2982	X							2, 3
O-360-A2F (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A2F (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A2G (25°,180HP)	M4006	M2983	M2984	X							2, 3
O-360-A2G (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A2G (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A2H (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-A2H (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A2H (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A3A (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A3A (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A3A (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A3D (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A4A (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A4A (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A4A (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A4D (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A4G (25°,180HP)	M4006	M2983	M2984	X							2, 3
O-360-A4G (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A4G (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A4J (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-A4J (25°,180HP)	M2450	M2451	M2452				X				2, 3
O-360-A4J (25°,180HP)	M2420	M2421	M2422					X			2, 3
O-360-A4K (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-A4K (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A4K (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A4M (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-A4M (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A4M (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A4N (25°,180HP)	M4002	M2513	M2512	X							2, 3
O-360-A4N (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-A4N (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-A4P (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-B1A (25°,168HP)	M4001	M1795	M2992	X							2, 3
O-360-B1A (25°,168HP)	M2364	M1980	M1975				X				2, 3
O-360-B1A (25°,168HP)	M2365	M2017	M2016					X			2, 3
O-360-B1B (25°,168HP)	M4001	M1795	M2992	X							2, 3
O-360-B2A (25°,168HP)	M4004	M2989	M2990	X							2, 3
O-360-B2A (25°,168HP)	M2364	M1980	M1975				X				2, 3

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-35	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			S4-20; S4-200 S6-20; S6-200 S4-1200 S6-1200			D2000; D3000	Notes
O-360-B2A (25°,168HP)	M2365	M2017	M2016					X			2, 3
O-360-B2B (25°,168HP)	M4001	M1795	M2992	X							2, 3
O-360-B2C (25°,168HP)	M2402	M2403	M2404				X				2, 3
O-360-C1A (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C1A (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1A (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1C (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C1C (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1C (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1E (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C1E (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1E (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1F (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C1F (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1F (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C1G (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C1G (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C1G (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2A (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C2A (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2A (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2B (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C2B (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2B (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2C (25°,180HP)	M4004	M2989	M2990	X							2, 3
O-360-C2C (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2C (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C2D (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C2E (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C2E (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-C2E (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-C4F (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-C4P (25°,180HP)	M4001	M1795	M2992	X							2, 3
O-360-D1A (25°,168HP)	M4001	M1795	M2992	X							2, 3
O-360-D1A (25°,168HP)	M2364	M1980	M1975				X				2, 3
O-360-D1A (25°,168HP)	M2365	M2017	M2016					X			2, 3
O-360-D2A (25°,168HP)	M4004	M2989	M2990	X							2, 3
O-360-D2A (25°,168HP)	M2364	M1980	M1975				X				2, 3
O-360-D2A (25°,168HP)	M2365	M2017	M2016					X			2, 3
O-360-D2B (25°,168HP)	M2364	M1980	M1975				X				2, 3
O-360-F1A6 (25°,180HP)	M4002	M2513	M2512	X							2, 3
O-360-F1A6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-F1A6 (25°,180HP)	M2365	M2017	M2016					X			2, 3
O-360-G1A6 (25°,180HP)	M4002	M2513	M2512	X							2, 3
O-360-G1A6 (25°,180HP)	M2364	M1980	M1975				X				2, 3
O-360-G1A6 (25°,180HP)	M2365	M2017	M2016					X			2, 3

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-36	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300		6200, 6300		600		SA-20, SA-200		S6-20, S6-200		SA-1200		S6-1200		D2000, D3000		Notes
O-360-J2A (25°, 145HP)	M2402	M2403	M2404																	2, 3
O-540-A1A (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1A (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1A5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1A5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1A5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A1B5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1B5 (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A1B5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1B5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A1C5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1C5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1C5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A1D (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A1D (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1D (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A1D5 (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A1D5 (25°, 250HP)	M6031	M6025	M6026	X																
O-540-A1D5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A1D5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A1D5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A2B (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A2B (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A2B (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A3D5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A3D5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A3D5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A4A5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A4A5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A4A5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A4B5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A4B5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A4B5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-A4C5 (25°, 250HP)	M6002	M2877	M2878	X																
O-540-A4D5 (25°, 250HP)	M6014	M6027	M2956	X																
O-540-A4D5 (25°, 250HP)	M2121	M2123	M2122								X									
O-540-A4D5 (25°, 250HP)	M2154	M2155	M2156														X			
O-540-B1A5 (25°, 235HP)	M6014	M6027	M2956	X																
O-540-B1A5 (25°, 235HP)	M2121	M2123	M2122								X									
O-540-B1A5 (25°, 235HP)	M2154	M2155	M2156														X			
O-540-B1B5 (25°, 235HP)	M2121	M2123	M2122								X									
O-540-B1B5 (25°, 235HP)	M2154	M2155	M2156														X			
O-540-B1D5 (25°, 235HP)	M6014	M6027	M2956	X																
O-540-B2A5 (25°, 235HP)	M6014	M6027	M2956	X																
O-540-B2A5 (25°, 235HP)	M2121	M2123	M2122								X									

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-37	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20; SA-200 S6-20; S6-200 SA-1200 S6-1200			D2000; D3000	Notes
O-540-B2A5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B2B5 (25°,235HP)	M6002	M2877	M2878	X							
O-540-B2B5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B2B5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B2B5-wd (25°,235HP)	M6004	M2877	M2956	X							10
O-540-B2B5-wd (25°,235HP)	M2121	M2123	M2122					X			10
O-540-B2B5-wd (25°,235HP)	M2154	M2155	M2156						X		10
O-540-B2C5 (25°,235HP)	M6000	M2961	M2962	X							
O-540-B2C5 (25°,235HP)	M2883	M2884	M2885	X							
O-540-B2C5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B2C5 (25°,235HP)	M2456	M2457	M2458						X		
O-540-B2C5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B2C5-wd (25°,235HP)	M6001	M2959	M2960	X							10
O-540-B2C5-wd (25°,235HP)	M2121	M2123	M2122					X			10
O-540-B2C5-wd (25°,235HP)	M2154	M2155	M2156						X		10
O-540-B4A5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B4A5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B4B5 (25°,235HP)	M6004	M2877	M2956	X							
O-540-B4B5 (25°,235HP)	M2121	M2123	M2122					X			
O-540-B4B5 (25°,235HP)	M2154	M2155	M2156						X		
O-540-B4B5-wd (25°,235HP)	M6004	M2877	M2956	X							10
O-540-B4B5-wd (25°,235HP)	M2121	M2123	M2122					X			10
O-540-B4B5-wd (25°,235HP)	M2154	M2155	M2156						X		10
O-540-D1A5 (25°,250HP)	M6014	M6027	M2956	X							
O-540-D1A5 (25°,250HP)	M6002	M2877	M2878	X							
O-540-D1A5 (25°,250HP)	M2121	M2123	M2122					X			
O-540-D1A5 (25°,250HP)	M2154	M2155	M2156						X		
O-540-E4A5 (25°,260HP)	M6014	M6027	M2956	X							
O-540-E4A5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-E4A5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-E4A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-E4B5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-E4B5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-E4B5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-E4B5-wd (25°,260HP)	M6004	M2877	M2956	X							10
O-540-E4B5-wd (25°,260HP)	M2121	M2123	M2122					X			10
O-540-E4B5-wd (25°,260HP)	M2154	M2155	M2156						X		10
O-540-E4C5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-E4C5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-E4C5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-F1A5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-F1B5 (25°,260HP)	M6014	M6027	M2956	X							
O-540-F1B5 (25°,260HP)	M2121	M2123	M2122					X			
O-540-F1B5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-G1A5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-G1A5 (25°,260HP)	M2121	M2123	M2122					X			

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-38	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness	4200, 4300 6200, 6300 600			SA-20, SA-200 S6-20, S6-200 SA-1200 S6-1200			D2000, D3000	Notes
O-540-G1A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-G1A5-wd (25°,260HP)	M6001	M2959	M2960	X							10
O-540-G1A5-wd (25°,260HP)	M2121	M2123	M2122				X				10
O-540-G1A5-wd (25°,260HP)	M2154	M2155	M2156						X		10
O-540-G2A5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-G2A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-G2A5 (25°,260HP)	M2121	M2123	M2122				X				
O-540-G2A5-wd (25°,260HP)	M6000	M2961	M2962	X							10
O-540-G2A5-wd (25°,260HP)	M2121	M2123	M2122				X				10
O-540-G2A5-wd (25°,260HP)	M2154	M2155	M2156						X		10
O-540-H1A5 (25°,260HP)	M6000	M2961	M2962	X							
O-540-H2A5 (25°,260HP)	M6002	M2877	M2878	X							
O-540-H2A5 (25°,260HP)	M2121	M2123	M2122				X				
O-540-H2A5 (25°,260HP)	M2154	M2155	M2156						X		
O-540-J3A5 (23°,235HP)	M6002	M2877	M2878	X							
TIO-540-C1A (20°,250HP)	M2121	M2123	M2122					X			
TIO-540-C1A (20°,250HP)	M2790	M2791	M2792						X		
TVO-435-A1A (25°,260HP)	M2471	M2472	M2473					X			
TVO-435-B1A - 1/2" (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-B1A - 1/2" (25°,270HP)	M2709	M2710	M2711						X		
TVO-435-B1A - 13/16" (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-B1A - 13/16" (25°,270HP)	M2709	M2710	M2711						X		
TVO-435-D1A (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-D1B (25°,270HP)	M2712	M2713	M2714					X			
TVO-435-F1A (25°,280HP)	M2712	M2713	M2714					X			
TVO-435-F1A (25°,280HP)	M2709	M2710	M2711						X		
TVO-435-G1A (25°,280HP)	M2712	M2713	M2714					X			
TVO-435-G1B (25°,280HP)	M2712	M2713	M2714					X			
VO-435-A1B - 1/2" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1B - 13/16" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1C - 1/2" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1C - 13/16" (25°,260HP)	M2471	M2472	M2473					X			
VO-435-A1D - 1/2" (25°,260HP)	M2471	M2472	M2473					X			

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-39	G

## Textron-Lycoming

Engine Engine - Model (Degree°, HP)	Complete Harness	LH Harness	RH Harness								Notes	
				4200; 4300	6200; 6300	600	S4-20; S4-200	S6-20; S6-200	S4-1200	S6-1200		D2000; D3000
VO-435-A1D - 13/16" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1E - 1/2" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1E - 13/16" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1F - 1/2" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-A1F - 13/16" (25°,260HP)	M2471	M2472	M2473						X			
VO-435-B1A - 1/2" (25°,265HP)	M2471	M2472	M2473						X			
VO-435-B1A - 13/16" (25°,265HP)	M2471	M2472	M2473						X			
VO-540-C1C3 (25°,305HP)	M2471	M2472	M2473						X			

**HARNESSES 5/8"**

ISSUED			REVISED		
MO	DAY	YR	MO	DAY	YR
11	01	89	01	31	06

**Unison Industries**  
 530 Blackhawk Park Avenue  
 Rockford, Illinois, U.S.A. 61104  
 ©2006 Unison Industries, Inc.

PAGE NO.	REVISION
5-40	G